

# UC-WMC 1,9 (15X4) YE - Conductor marker



0828008

<https://www.phoenixcontact.com/it/products/0828008>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Conductor marker, Sheet, yellow, unlabeled, can be labeled with: BLUEMARK E.CARD, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, PLOTMARK, CMS-P1-PLOTTER, cable diameter range: 1.2 ... 1.9 mm, mounting type: clip on, Number of individual labels: 20, text field height: 4 mm, text field width: 15 mm

## Your advantages

- The markers, which are supplied in uniform sheets, can be printed onto quickly and easily using the BLUEMARK printing systems
- The UC-WMC ... UniCard labeling range includes markers for captive labeling of control lines to cable sheaths with large diameters
- The format automatically ensures printing with a high degree of positioning accuracy
- The markers support multi-line labeling
- One-handed mounting
- Two labeling areas that are clearly legible at all times
- Can be clipped on even after wiring has been completed
- The sheets provide space for including function texts
- Marking service: Phoenix Contact can custom-mark all UniCard markers according to your specifications

## Commercial data

Item number	0828008
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG2
Product key	BG2217
Catalog page	Page 194 (C-3-2019)
GTIN	4046356471695
Weight per piece (including packing)	10.86 g
Weight per piece (excluding packing)	9.6 g
Customs tariff number	39269097
Country of origin	PL

# UC-WMC 1,9 (15X4) YE - Conductor marker



0828008

<https://www.phoenixcontact.com/it/products/0828008>

## Technical data

### Product properties

Product type	Conductor marking
Type	Card form

### Marking

Number of individual labels	20
Number of individual labels per row	4
Identification technology	UV LED technology

### Dimensions

Width	15 mm
Height	5.25 mm
Depth	5.25 mm

### External dimensions

Outside diameter	1.2 mm ... 1.9 mm
------------------	-------------------

### Text field

Text field width	15 mm
Text field height	4 mm

### Material specifications

RoHS compliant	yes
Color	yellow (RAL 1018)
Material	PA
Flammability rating according to UL 94	V2
Temperature index of insulation material (DIN EN 60216-1 (VDE 0304-21))	120 °C
Fire protection for rail vehicles (DIN EN 45545-2) R22	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R23	HL 1 - HL 2
Fire protection for rail vehicles (DIN EN 45545-2) R24	HL 1 - HL 2
Components	free from silicone and halogen

### Cable/line

External cable diameter	1.2 mm ... 1.9 mm
-------------------------	-------------------

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed

# UC-WMC 1,9 (15X4) YE - Conductor marker



0828008

<https://www.phoenixcontact.com/it/products/0828008>

Test duration	96 h
---------------	------

## Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07 DIN EN 62208 (VDE 0660-511):2012-06 (in parts)
Isopropyl [CAS No. 67-63-0]	Test passed
n-Hexane [CAS No. 110-54-3]	Test passed
Water + Petroleum ether [CAS No. 64742-82-1]	Test passed

## Testing in a condensation changing climate in the presence of sulfur dioxide

Specification	DIN 50018:2013-05
Result	Test passed
Climate level	AHT 1.0 S
Cycles	2

## Salt spray test

Specification	DIN EN 60068-2-11:2000-02
Result	Test passed

## Ambient conditions

Ambient temperature (operation)	-40 °C ... 120 °C
Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

## Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

## Standards

Standards/regulations	EN 45545-2
-----------------------	------------

## Mounting

Mounting type	clip on
---------------	---------

# UC-WMC 1,9 (15X4) YE - Conductor marker



0828008

<https://www.phoenixcontact.com/it/products/0828008>

## Classifications

### ECLASS

ECLASS-13.0	27281102
-------------	----------

### ETIM

ETIM 9.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

# UC-WMC 1,9 (15X4) YE - Conductor marker



0828008

<https://www.phoenixcontact.com/it/products/0828008>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions
---	--------------------

### EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%
-------------------------------------	----------------------------

# UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## Accessories

### BLUEMARK E.CARD - Printer

1506732

<https://www.phoenixcontact.com/it/products/1506732>




Monochrome UV inkjet card printer, with automated material processing, intuitive user guidance via the printer display, data exchange via OPC UA interface and marking software, for marking UC and UCT cards, UM strips, and metal markers.

---

### PLOTMARK - Marking plotter

0804499

<https://www.phoenixcontact.com/it/products/0804499>



Marking plotter for the entire portfolio of UC marking materials and materials in sheet and strip format.

## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>




## CMS-P1-PLOTTER - Marking plotter

5144615

<https://www.phoenixcontact.com/it/products/5144615>

Marking plotter, weight: 8 kg, length: 0.66 m, width: 440 mm, height: 125 mm, color: silver-colored



---

## BM ID-CARTR. BK - Ink cartridge

1044345

<https://www.phoenixcontact.com/it/products/1044345>

Replacement UV fluid, 23 ml, color: black



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## BM E.CARD-CARTR. BK 101 - Ink cartridge

1569770

<https://www.phoenixcontact.com/it/products/1569770>



Ink cartridge including printhead, compatible with BLUEMARK E.CARD, for replacement, color: black

---

## BM E.CARD-CARTR. CL 101 - Ink cartridge

1569984

<https://www.phoenixcontact.com/it/products/1569984>



Ink cartridge including printhead, compatible with BLUEMARK E.CARD, for replacement, color: clear



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## BM E.CARD-CLEANING CARTR. 100 - Cleaning cartridge

1569768

<https://www.phoenixcontact.com/it/products/1569768>



Cleaning cartridge, for replacement, compatible with BLUEMARK E.CARD

---

## BM ID-CARTR. CY - Ink cartridge

1044346

<https://www.phoenixcontact.com/it/products/1044346>



Replacement UV fluid, 23 ml, color: cyan

## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## BM ID-CARTR. MA - Ink cartridge

1044347

<https://www.phoenixcontact.com/it/products/1044347>



Replacement UV fluid, 23 ml, color: magenta

---

## BM ID-CLEANING CARTR. - Cleaning cartridge

1044350

<https://www.phoenixcontact.com/it/products/1044350>



Replacement cleaning cartridge

## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## BLUEMARK CLED-FLUID-CARTR. - Ink cartridge

5146662

<https://www.phoenixcontact.com/it/products/5146662>

Cartridge, for replacement, 20 ml UV color, black, including cleaning cartridge



---

## BLUEMARK FLUID-CARTRIDGE - Ink cartridge

5147421

<https://www.phoenixcontact.com/it/products/5147421>

Cartridge, for replacement, 28 ml UV color, black including cleaning cartridge



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



### CMS-DISPOSABLE-PEN 0,25 TR - Marker pen

5146685

<https://www.phoenixcontact.com/it/products/5146685>

Disposable pen, incl. adapter, integrated ink cartridge and pen station, writing thickness: 0.25 mm



---

### CMS-DISPOSABLE-PEN 0,35 TR - Marker pen

5146686

<https://www.phoenixcontact.com/it/products/5146686>

Disposable pen, incl. adapter, integrated ink cartridge and pen station, writing thickness: 0.35 mm



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## CMS-INK-TR-C5 - Ink cartridge

5146684

<https://www.phoenixcontact.com/it/products/5146684>

Ink cartridge, special black ink, 5 cartridges of 1 ml each, for high demands



---

## CMS-PEN 0,25 - Marker pen

5067815

<https://www.phoenixcontact.com/it/products/5067815>

Marker pen, incl. adapter, ink tank and reservoir, 0.25 mm nib



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## CMS-PEN 0,35 - Marker pen

5067828

<https://www.phoenixcontact.com/it/products/5067828>

Marker pen, incl. adapter, ink tank and reservoir, 0.35 mm nib



---

## CMS-R-FLUID-TR - Cleaning fluid

5146750

<https://www.phoenixcontact.com/it/products/5146750>

Cleaning fluid, 30 ml, for the CMS-PEN ... and CMS-DISPOSABLE-PEN ...



## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## CMS-R-FLUID-TR-C2 - Cleaning cartridge

5146752

<https://www.phoenixcontact.com/it/products/5146752>



Cleaning cartridges with replacement sealing caps, 2 cartridges with 10 ml cleaning fluid each and 2 caps for the CMS-PEN ... and CMS-DISPOSABLE-PEN ...

---

## BM ID-MAG20 - Magazine

1044356

<https://www.phoenixcontact.com/it/products/1044356>



Infeed magazine for accommodating a max. of 20 UniCard sheets

## UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/it/products/0828008>



## BM ID-MAG40 - Magazine

1044357

<https://www.phoenixcontact.com/it/products/1044357>

Infeed magazine for accommodating a maxi. of 40 UniCard sheets



---

## CMS-R-SET-TR - Cleaning set

5146751

<https://www.phoenixcontact.com/it/products/5146751>

Cleaning set, consisting of: 1x cleaning cup, 2x cleaning cartridges with 10 ml cleaning fluid each and 2x replacement sealing caps for the CMS-PEN ... and CMS-DISPOSABLE-PEN ...





# UC-WMC 1,9 (15X4) YE - Conductor marker

0828008

<https://www.phoenixcontact.com/lt/products/0828008>



## BLUEMARK ID - Printer

1003334

<https://www.phoenixcontact.com/lt/products/1003334>



Monochrome printer with UV inkjet technology and integrated "MARKING system app" identification software. 7" touch color display for printing plastic labels in UC, UCT, US, and UM format, as well as metal labels.

---

## BLUEMARK CLED - Printer

5147999

<https://www.phoenixcontact.com/lt/products/5147999>



Printers with LED-UV technology for printing plastic labels in UniCard format.

---

Phoenix Contact 2025 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact UAB

Svitrigailos str. 11B

03228 Vilnius

+370 5 2106321

[balticinfo@phoenixcontact.com](mailto:balticinfo@phoenixcontact.com)