

# DOS-1205-W

Field-wireable connectors

**CONNECTORS AND CABLES** 





# Ordering information

Туре	part no.
DOS-1205-W	6009720

Other models and accessories → www.sick.com/Field-wireable\_connectors

#### Detailed technical data

# Technical specifications

Connection type head A	Female connector, M12, 5-pin, angled, A-coded		
Connection type	Screw-type terminals		
Connector material	PBT		
Connector color	Black		
Locking nut material	CuZn		
Tightening torque	0.6 Nm		
Shielding	Unshielded		
Permitted cross-section	≤ 0.75 mm²		
Reference voltage			
	≤ 63 V		
Current loading	4 A		
Authorizations	UL		
UL File No.	E335179		
Enclosure rating	IP67		
Operating temperature			
Head	-40 °C +85 °C		

#### Certificates


EU declaration of conformity	✓
UK declaration of conformity	✓
China-RoHS	✓

#### Classifications

ECLASS 5.0	27279290
ECLASS 5.1.4	27279290
ECLASS 6.0	27279221
ECLASS 6.2	27279221
ECLASS 7.0	27440104
ECLASS 8.0	27440104
ECLASS 8.1	27440104
ECLASS 9.0	27440102

ECLASS 10.0	27440102
ECLASS 11.0	27440102
ECLASS 12.0	27440116
ETIM 5.0	EC002635
ETIM 6.0	EC002635
ETIM 7.0	EC002635
ETIM 8.0	EC002635
UNSPSC 16.0901	39121421

# **Dimensional drawing**



Dimensions in mm (inch)

# Installation drawing

