



 PRODUCT-DETAILS

OZ331SPRY

OZ331SPRY SHORT ONE HOLE MOUNTING HANDLE



General Information

Extended Product Type	OZ331SPRY
Product ID	1SCA113097R1001
EAN	4034656513061
Catalog Description	OZ331SPRY SHORT ONE HOLE MOUNTING HANDLE
Long Description	One hole on mounting handle with short shaft adaptor for low enclosures base mounting, IP65, NEMA 4X outdoor, size 66x66, suitable for 6 mm shaft, red-yellow

ABB EcoSolutions

Environmental Information	1SCC302003D0201
---------------------------	-----------------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201

RoHS Information	1SCC011020D0201
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information	1SCC301020C0201
Instructions and Manuals	1SCC390143M0201

Environmental

Degree of Protection	IP65
Environmental Information	1SCC302003D0201

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country or Territory of Origin	Germany

Dimensions

Product Net Width	66 mm
Product Net Height	66 mm
Product Net Depth / Length	59 mm
Product Net Weight	0.04 kg

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	66 mm
Package Level 1 Depth / Length	59 mm
Package Level 1 Height	66 mm
Package Level 1 Gross Weight	0.055 kg
Package Level 1 EAN	4034656513061

Technical

Color	Red-Yellow
Degree of Protection	IP65
Handle Color	Red / Yellow
Handle Type	Selector
Special Functions	SPRY

Certificates and Declarations

Declaration of
Conformity - CE

1SCC302001D0204

External Classifications and Standards

Object Classification Code	N/A
ETIM 9	EC000229 - Handle for power circuit breaker
ETIM 10	EC000229 - Handle for power circuit breaker
UNSPSC	39122221
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
eClass	V11.1 : 27370414
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3638085

Categories

Low Voltage Products and Systems → Switches → Switch Disconnectors

