




---

 PRODUCT-DETAILS

# P9MSCX0Z95

## P9MSCX0Z95 Key Operated Selector Switch



360°

---

### General Information

<b>Extended Product Type:</b>	P9MSCX0Z95
<b>Product ID:</b>	1SFA184482R9006
<b>EAN:</b>	7320500521892
<b>Catalog Description:</b>	P9MSCX0Z95 Key Operated Selector Switch
<b>Long Description:</b>	<p>The P9MSCX0Z95 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch with holder - 4-position - Maintained - Key - Black/Key=metal - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.</p>
<b>Display Name:</b>	P9MSCX0Z95

---

### Ordering

<b>Minimum Order Quantity:</b>	10 piece
<b>Customs Tariff Number:</b>	8536508000

---

## Popular Downloads

---

<b>Data Sheet, Technical Information:</b>	1SFC151007C02__
<b>Instructions and Manuals:</b>	1SFC151011M0201

---



---

## Dimensions

---

<b>Product Net Width:</b>	29.7 mm
<b>Product Net Height:</b>	44.5 mm
<b>Product Net Depth / Length:</b>	68.4 mm
<b>Product Net Weight:</b>	0.126 kg

---



---

## Technical

---

<b>Ambient Air Temperature:</b>	Operation -30 ... 70 °C Storage -40 ... +70 °C
<b>Color:</b>	Black/Key=metal
<b>Actuator Type:</b>	Key
<b>Bezel Material:</b>	Metal
<b>Illumination:</b>	Non-illuminated
<b>Function:</b>	Maintained
<b>Sub-Function:</b>	4-position
<b>Sub-Function 2:</b>	CAM X
<b>Maintained Positions:</b>	A, B, C, D
<b>Key Removal Positions:</b>	A, B, C, D
<b>Key Code:</b>	Key code 95
<b>Enclosure Type NEMA:</b>	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

---



---

## Environmental

---

<b>Degree of Protection:</b>	Front IP66
------------------------------	------------

---



---

## Material Compliance

---

<b>Conflict Minerals Reporting Template (CMRT):</b>	9AKK108467A5658
<b>REACH Declaration:</b>	2CMT2022-006479
<b>RoHS Declaration:</b>	2CMT2022-006498
<b>RoHS Information:</b>	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

---

<b>Toxic Substances Control Act - TSCA:</b>	2CMT2023-006523
<b>WEEE B2C / B2B:</b>	Business To Business
<b>WEEE Category:</b>	5. Small Equipment (No External Dimension More Than 50 cm)

## Certificates and Declarations

<b>BV Certificate:</b>	2CMT2019-005867
<b>CB Certificate:</b>	2CMT2019-005872
<b>CSA Certificate:</b>	2CMT2019-005868
<b>Declaration of Conformity - CE:</b>	2CMT2019-005862
<b>Declaration of Conformity - UKCA:</b>	2CMT2020-006121
<b>DNV GL Certificate:</b>	2CMT2019-005876
<b>RINA Certificate:</b>	2CMT2019-005866
<b>UL Certificate:</b>	2CMT2019-005868

## Container Information

<b>Package Level 1 Units:</b>	box 1 piece
<b>Package Level 1 Width:</b>	41 mm
<b>Package Level 1 Depth / Length:</b>	113 mm
<b>Package Level 1 Height:</b>	41 mm
<b>Package Level 1 Gross Weight:</b>	0.126 kg
<b>Package Level 1 EAN:</b>	7320500521892

## External Classifications and Standards

<b>ETIM 7:</b>	EC000222 - Front element for selector switch
<b>ETIM 8:</b>	EC000222 - Front element for selector switch
<b>eClass:</b>	V11.0 : 27371213
<b>UNSPSC:</b>	39122217
<b>IDEA Granular Category Code (IGCC):</b>	5215 >> Selector Switch Complete Assemblies
<b>E-Number (Finland):</b>	2307581
<b>E-Number (Sweden):</b>	3705873

## Categories

Products > Low Voltage Products and Systems > Control Products > Pilot Devices > Modular Metal Range P9M > P9M Selector Switches

