



PRODUCT-DETAILS

P9MSCZ0A95

P9MSCZ0A95 Key Operated Selector Switch



General Information

Extended Product Type:	P9MSCZ0A95
Product ID:	1SFA184433R9006
EAN:	7320500521779
Catalog Description:	P9MSCZ0A95 Key Operated Selector Switch
Long Description:	<p>The P9MSCZ0A95 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch with holder - 3-position - Maintained - Key - Black/Key=metal - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.</p>
Display Name:	P9MSCZ0A95

Ordering

Minimum Order Quantity:	10 piece
Customs Tariff Number:	8536508000

Popular Downloads

Data Sheet, Technical Information:	1SFC151007C02__
Instructions and Manuals:	1SFC151011M0201

Dimensions

Product Net Width:	29.7 mm
Product Net Height:	44.5 mm
Product Net Depth / Length:	68.4 mm
Product Net Weight:	0.06 kg

Technical

Ambient Air Temperature:	Operation -30 ... 70 °C Storage -40 ... +70 °C
Color:	Black/Key=metal
Actuator Type:	Key
Bezel Material:	Metal
Illumination:	Non-illuminated
Function:	Maintained
Sub-Function:	3-position
Sub-Function 2:	CAM Z
Maintained Positions:	A, B, C
Key Removal Positions:	Position A Only
Key Code:	Key code 95
Enclosure Type NEMA:	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

Environmental

Degree of Protection:	Front IP66
------------------------------	------------

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	2CMT2022-006479
RoHS Declaration:	2CMT2022-006498
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Toxic Substances Control Act - TSCA:	2CMT2023-006523
WEEE B2C / B2B:	Business To Business
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

BV Certificate:	2CMT2019-005867
CB Certificate:	2CMT2019-005872
CSA Certificate:	2CMT2019-005868
Declaration of Conformity - CE:	2CMT2019-005862
Declaration of Conformity - UKCA:	2CMT2020-006121
DNV GL Certificate:	2CMT2019-005876
RINA Certificate:	2CMT2019-005866
UL Certificate:	2CMT2019-005868

Container Information

Package Level 1 Units:	box 1 piece
Package Level 1 Width:	41 mm
Package Level 1 Depth / Length:	113 mm
Package Level 1 Height:	41 mm
Package Level 1 Gross Weight:	0.06 kg
Package Level 1 EAN:	7320500521779

External Classifications and Standards

ETIM 7:	EC000222 - Front element for selector switch
ETIM 8:	EC000222 - Front element for selector switch
eClass:	V11.0 : 27371213
UNSPSC:	39122217
IDEA Granular Category Code (IGCC):	5215 >> Selector Switch Complete Assemblies
E-Number (Finland):	2307560

Categories

Products > Low Voltage Products and Systems > Control Products > Pilot Devices > Modular Metal Range P9M > P9M Selector Switches

