



## PRODUCT-DETAILS

**SOR XT1..XT4 220...240 Vac-220...250 Vdc****SOR XT1..XT4 220...240 Vac-220...250 Vdc****General Information**

|                               |  |
|-------------------------------|--|
| <b>Extended Product Type:</b> | SOR XT1..XT4 220...240 Vac-220...250 Vdc                   |
| <b>Product ID:</b>            | 1SDA066317R1   |
| <b>EAN:</b>                   | 8015644002251  |
| <b>Catalog Description:</b>   | SOR XT1..XT4 220...240 Vac-220...250 Vdc                   |
| <b>Long Description:</b>      | SHUNT OPENING RELEASE 220...240V AC-220...250V DC XT1..XT4 |
| <b>Display Name:</b>          | SOR XT1..XT4 220...240 Vac-220...250 Vdc                   |

**ABB EcoSolutions**

**Environmental Product Declaration - EPD:** 9AKK108470A3428  
9AKK108470A7416

**Material Compliance**

**REACH Declaration:** 9AKK108466A1425  
**RoHS Declaration:** 9AKK108466A1424

**RoHS Information:** Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

**Conflict Minerals Reporting Template (CMRT):** 9AKK108467A5658

**Toxic Substances Control Act - TSCA:** 9AKK108467A8326

---

## Environmental

**Environmental Information:** 9AKK108467A6707

---

## Ordering

**Order Code US and Canada:** KXTASORE

**E-Number (Finland):** 3638707

**E-Number (Norway):** 4381319

**EAN:** 8015644002251

**Minimum Order Quantity:** 1 piece

**Customs Tariff Number:** 85389099

---

## Dimensions

**Product Net Weight:** 0.1 kg

---

## Container Information

**Package Level 1 Units:** box 1 piece

**Package Level 1 Width:** 110 mm

**Package Level 1 Height:** 60 mm

**Package Level 1 Depth / Length:** 140 mm

**Package Level 1 Gross Weight:** 0.105 kg

**Package Level 1 EAN:** 8015644002251

---

## Additional Information

**Product Main Type:** Accessories for Tmax XT

**Product Name:** Accessory

**Product Type:** Accessory

**Suitable For:** XT1, XT2, XT3, XT4

**Suitable for Product Class:** SACE Tmax XT

---

## Technical

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| <b>Configuration Type:</b>            | Loose or configurable                |
| <b>Current Type:</b>                  | AC/DC                                |
| <b>Order Multiple:</b>                | 1 piece                              |
| <b>Rated Voltage (U<sub>r</sub>):</b> | 220 ... 240 V AC<br>220 ... 250 V DC |
| <b>Standards:</b>                     | IEC60947-2<br>UL489                  |

## Certificates and Declarations

|   |   |
|---|---|
| <b>Data Sheet, Technical Information:</b> | 1SDC210100D0206<br>1SDC210099D0206                          |
| <b>Declaration of Conformity - CE:</b>    | Refer to the EU Declaration of the relative Circuit Breaker |
| <b>Instructions and Manuals:</b>          | 1SDH000719R0501   |

## External Classifications and Standards

|  |  |
|--|--|
| <b>ETIM 9:</b>                             | EC002483 - Switch spool for power circuit breaker          |
| <b>ETIM 10:</b>                            | EC002483 - Switch spool for power circuit breaker          |
| <b>IDEA Granular Category Code (IGCC):</b> | 4879 >> Shunt release (for power circuit breaker)          |
| <b>Object Classification Code:</b>         | Q  |
| <b>UNSPSC:</b>                             | 39121601   |
| <b>WEEE Category:</b>                      | 5. Small Equipment (No External Dimension More Than 50 cm) |
| <b>eClass:</b>                             | V11.1 : 27370421   |

## Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Moulded Case Circuit Breakers > Accessories for Tmax XT

